

Symbol:	AX-576N
Product groups:	Digital Multimeters

Product specifications

Type of meter:	digital multimeter
Measurement:	AC current, AC voltage, capacitance, continuity, DC current, DC voltage, frequency, resistance, temperature
Kind of display used:	LCD
Display parameters:	(6000)
DC voltage measuring range:	600mV, 6V, 60V, 600V, 1kV
DC voltage measuring accuracy:	±(0.5% + 1 digit)
AC voltage measuring range:	600mV, 6V, 60V, 600V, 1kV

AC voltage measuring accuracy:	±(0.8% + 5 digit)
DC current measuring range:	600µA, 6mA, 60mA, 600mA, 6A, 10A
DC current measuring accuracy:	±(1% + 5 digit)
AC current measuring range:	600µA, 6mA, 60mA, 600mA, 6A, 10A
AC current measuring accuracy:	±(1.8% + 5 digit)
Resistance measuring range:	600Ω, 6kΩ, 60kΩ, 600kΩ, 6MΩ, 60MΩ
Capacitance measuring range:	10nF...100mF
Frequency measuring range:	1...10MHz
Frequency measuring accuracy:	±(0.1%+2 digit)
Temperature measuring range:	-45...1300°C
Resistance measuring accuracy:	±(2%+5 digit)
Test:	diodes
Continuity test:	acoustic indication
Weight with battery:	341g
Power supply:	battery AA 1,5V x2
Standard equipment:	case, temperature probe, test leads, user's manual

Conform to the norm:	CAT III 1000V, CAT IV 600V
Dimensions (W x H x D):	89x185x51mm
Measuring instrument features:	alarms breach of limit values, contactless voltage detector, HOLD function, low battery indicator, MIN/MAX function, REL function, white LED torch
Battery/ rechargeable battery:	battery AA 1,5V x2
Illumination:	yes

Additional information

Gross weight:	0.569 kg