

Symbol:	AX-104B
Product groups:	Digital Multimeters

Product specifications

Type of meter:	digital multimeter
Measurement:	AC current, AC voltage, capacitance, continuity, DC current, DC voltage, frequency, resistance, temperature, transistors' gain h_{FE}
Kind of display used:	LCD
Display parameters:	(6000)
DC voltage measuring range:	600mV, 6V, 60V, 600V
DC voltage measuring accuracy:	±(0.5% + 3 digit)
AC voltage measuring range:	600mV, 6V, 60V, 600V

AC voltage measuring accuracy:	±(1% + 10 digit)
DC current measuring range:	600µA, 6mA, 60mA, 600mA, 6A, 10A
DC current measuring accuracy:	±(1% + 5 digit)
AC current measuring range:	600µA, 6mA, 60mA, 600mA, 6A, 10A
AC current measuring accuracy:	±(1.8% + 5 digit)
Resistance measuring range:	600Ω, 6kΩ, 60kΩ, 600kΩ, 6MΩ, 60MΩ
Capacitance measuring range:	100mF
Capacitance measuring accuracy:	±(4%+ 15 digit)
Frequency measuring range:	10Hz...10MHz
Frequency measuring accuracy:	±(0.5%+2 digit)
Temperature measuring range:	-20...1000°C
Resistance measuring accuracy:	±(1%+5 digit)
Test:	diodes
Continuity test:	acoustic indication, <50Ω
Band:	1000Hz
Weight with battery:	300g

Power supply:	battery AAA 1,5V x2
Standard equipment:	adapter for capacitance and transistors' gain (hFE) measurement, temperature probe, test leads, user's manual
Conform to the norm:	CAT III 600V
Dimensions (W x H x D):	72x150x45mm
Measuring instrument features:	alarms breach of limit values, automatic power-off, autoranging, contactless voltage detector, HOLD function, low battery indicator, MIN/MAX function, white LED torch
Battery/ rechargeable battery:	battery AAA 1,5V x2
Illumination:	yes

Additional information

Gross weight:	0.328 kg