

Symbol:	AX-C830
Product groups:	Laboratory instruments

Product specifications

Type of meter:	calibrator
Kind of calibrator:	thermocouple
Kind of display used:	LCD
Display parameters:	5 digits
DC voltage measuring accuracy:	±(0.025% + 2 digit)
Temperature measuring range (with K-type thermocouple):	-200...1370°C

Temperature measuring range (with J-type thermocouple):	-200...1200°C
Temperature measuring range (with R-type thermocouple):	-20...1750°C
Temperature measuring range (with S-type thermocouple):	-20...1750°C
Temperature measuring range (with T-type thermocouple):	-200...400°C
Temperature measuring range (with E-type thermocouple):	-200...950°C
Temperature measuring range with N-type thermocouple:	-250...1300°C
Dimensions:	205x98x46mm
Power supply:	battery GR03 AAA 1,5V x6
Measuring instrument features:	high accuracy, impact resistant holster, measures and simulates, operates with thermocouple types: J, K, T, E, R, S, B, N, power supply socket
Standard equipment:	case, K-terminal

Measurement:	temperature
Measuring unit:	°C, °F
Battery/ rechargeable battery:	battery GR03 AAA 1,5V x6
Illumination:	yes

Additional information

Gross weight:	0.69 kg