

Symbol:	AX-104A
Product groups:	Digital Multimeters

Product specifications

Type of meter:	digital multimeter
Measurement:	AC current, AC voltage, continuity, DC current, DC voltage, resistance, temperature
Kind of display used:	LCD
Display parameters:	(2000)
DC voltage measuring range:	20mV, 200mV, 2V, 20V, 200V, 600V
DC voltage measuring accuracy:	±(0.5% + 3 digit)
AC voltage measuring range:	20mV, 200mV, 2V, 20V, 200V, 600V

AC voltage measuring accuracy:	±(1% + 10 digit)
DC current measuring range:	0.2mA, 2mA, 20mA, 200mA, 2A, 10A
DC current measuring accuracy:	±(1% + 5 digit)
AC current measuring range:	0.2mA, 2mA, 20mA, 200mA, 2A, 10A
AC current measuring accuracy:	±(1.8% + 5 digit)
Resistance measuring range:	200Ω, 2kΩ, 20kΩ, 200kΩ, 2MΩ, 20MΩ
Temperature measuring range:	-20...1000°C
Resistance measuring accuracy:	±(1%+5 digit)
Test:	diodes
Continuity test:	acoustic indication, <50Ω
Band:	1000Hz
Weight with battery:	300g
Power supply:	battery AAA 1,5V x2
Standard equipment:	temperature probe, test leads, user's manual
Conform to the norm:	CAT III 600V
Dimensions (W x H x D):	72x150x45mm

Measuring instrument features:	alarms breach of limit values, automatic power-off, contactless voltage detector, HOLD function, low battery indicator, manual ranging, MIN/MAX function, white LED torch
Battery/ rechargeable battery:	battery AAA 1,5V x2
Illumination:	yes

Additional information

Gross weight:	0.33 kg