

Symbol:	AX-102N
Product groups:	Digital Multimeters

Product specifications

Type of meter:	digital multimeter
Measurement:	AC current, AC voltage, continuity, DC current, DC voltage, resistance, temperature
Kind of display used:	LCD
Display parameters:	(2000)
DC voltage measuring range:	200mV, 2V, 20V, 200V, 500V, 600V
DC voltage measuring accuracy:	±(0.5% + 2 digit)
AC voltage measuring range:	2V, 20V, 200V, 500V, 600V

AC voltage measuring accuracy:	±(1% + 10 digit)
DC current measuring range:	0.2mA, 2mA, 20mA, 200mA, 2A, 10A
DC current measuring accuracy:	±(1% + 5 digit)
AC current measuring range:	0.2mA, 2mA, 20mA, 200mA, 2A, 10A
AC current measuring accuracy:	±(1.8% + 5 digit)
Resistance measuring range:	200Ω, 2kΩ, 20kΩ, 200kΩ, 2MΩ, 20MΩ
Temperature measuring range:	-20...750°C
Resistance measuring accuracy:	±(1%+2 digit)
Test:	diodes
Continuity test:	acoustic indication, <70Ω
Weight with battery:	200g
Power supply:	battery R03 AAA 1,5V x2
Standard equipment:	drop-like K-type probe, test leads
Optional equipment:	test leads AX-TL-4B1-B, test leads AX-TL-4B1-BL, test leads AX-TL-4B1-R, test leads AX-TL-BNC-4BP2, test leads AX-TLP-001, test leads AX-TLP-001T, test leads AX-TLP-002, test leads AX-TLP-003, test leads AX-TLS-001B, test leads AX-TLS-002B, test leads AX-TLS-003A, test leads AX-TLS-004A, test leads AX-TLS-005A, test leads AX-TLS-007S, test leads PPOM-14, test tweezers AX-TLP-TW-01

Conform to the norm:	CAT III 600V, EN 61010
Related items:	5790D, 5793D, 5794D, 5795D, 5797D, BKP60, EX871515, EX881602, EX881603, EX881605, PKT-PTA, PKT-PTF-10, PKT-PTF-20, PKT-PTF-25, PKT-PTF-30, PKT-PTF-40, PKT-PTF-50, PKT-PTF-55, PKT-PTF-56, PKT-PTF-60, SE027, SE028, SE029, SE030, SE031, SE059, SE060, SE061, SE062, SE001, SE002, SE003, SE004, SE000, TESTO-06020393, TESTO-06020645, TESTO-06024592, TESTO-06024892, TESTO-06280020, TESTO-06281292, TESTO-06287533, TP200, TP400, TP870, TP873, TP873-5M, TP882, TP-111, TP-112, TP-02, TP-03, TP-04, TP-06, TP-08, TP-09, TPK-59, TPK-62, UTT10K, UTT12
Dimensions (W x H x D):	70x144x32mm
Measuring instrument features:	automatic power-off, autoranging, contactless voltage detector, HOLD function, overload protection
Battery/ rechargeable battery:	battery R03 AAA 1,5V x2
Illumination:	yes

Additional information

Gross weight:	0.332 kg